भारतीय कपास निगम लिमिटेड

THE COTTON CORPORATION OF INDIA LTD.

(भारत सरकार का उपक्रम/A Government of India Undertaking)

शाखा कार्यालय "कपास भवन" 27-ए, रेसकोर्स रोड, इंदौर – 452003

Branch Office: Kapas Bhavan, 27-A, Race Course Road, Indore - 452003

दूरभाष/Phone : 2434136,2547877 फैक्स/Fax: 0731-2530523 मेल/email: indore@cotcorp.com

वेबसाईट/website: www.cotcorp.org.in Ministry Website : www.ministryoftextiles.gov.in निगमित पहचान संख्या/Corporate Identity No. U51490MH1970GOI014733

निविदा सूचना

भारतीय कपास निगम लिमिटेड, इंदौर द्वारा कपास मौसम 2018-19 के लिये निगम के निम्नलिखित प्रस्तावित खरीद केन्द्रों पर जिनिंग तथा प्रेसिंग कार्य के लिये प्रतिष्ठित जिनिंग एवं प्रेसिंग फैक्टरियों से मुहरबंद निविदायें आमंत्रित की जाती है :-

केन्द्र - बुरहानपुर, खंडवा, खरगोन, भीकनगॉव, बड़वाह, सनावद, करही, बागोद, अंजड, धामनोद, सिंघाना, गंधवानी, कुक्षी, बाकानेर, पांढुरना, सौंसर, सेंधवा, खेतिया, कसरावद

निविदाकर्ता यह सुनिश्चित करेंगे कि उनके पास उपयुक्त प्राधिकारी से प्राप्त प्रोवीडेन्ट फण्ड कोड नंबर उपलब्ध है । निर्धारित निविदा फार्म विस्तृत नियम एवं शर्तो के साथ किसी भी कार्यदिवस में कार्यालयीन समय में शाखा कार्यालय से 112/- रूपये मात्र देकर दिनांक 31.07.2018 तक प्राप्त किये जा सकते हैं । साथ ही निगम की वेबसाईट www.cotcorp.org.in एवं सरकारी वेबसाईट http://www.eprocure.gov.in पर भी उपलब्ध है यदि निविदा फार्म वेबसाईट से डाऊनलोड किया जाता है तो उस निविदा के साथ राष्ट्रीयकृत बैंक/शेड्यूल बैंक का 112/- (Including GST) का डी.डी.संलग्न करना अनिवार्य है ।

निविदाकर्ता को निम्नानुसार निविदा प्रस्तुत करना चाहिये :-

1. **लिफाफा 'अ'** : लिफाफे के ऊपर **"Technical Bid" लिखा जाना चाहिये जिसमें Technical Bid एवं धरोहर राशि रखी जानी चाहिये (अनुलग्नक-II) ।**
2. **लिफाफा 'ब' : लिफाफे के ऊपर "Financial Bid" लिखा जाना चाहिये जिसमें Financial Bid रखी जानी चाहिये (अनुलग्नक-III) ।**
3. **लिफाफा 'स'** : उपरोक्त दोनों लिफाफे 'अ' और 'ब' इस लिफाफे 'स' में रखे जाना चाहिये ।

प्रत्येक लिफाफे पर **''कपास मौसम 2018-19 के लिये जिनिंग प्रेसिंग निविदा"** स्पष्ट रूप से अंकित होना चाहिये और लिफाफे के नीचे की तरफ निविदाकर्ता का नाम एवं पता अंकित किया जाना चाहिये ।

सभी पहलुओं से विधिवत तैयार निविदा फार्म मुहरबंद लिफाफे में महा प्रबंधक के नाम हमारे शाखा कार्यालय के उपरोक्त पते पर दिनांक 01.08.2018 को दोपहर 1.00 बजे तक या इससे पूर्व पहुँच जाना चाहिये । निर्धारित समय के अंदर प्राप्त हुई मुहरबंद निविदाएँ दिनांक 01.08.2018 को दोपहर 1.30 बजे उपस्थित निविदाकर्ताओं की उपस्थिति में Technical Bid खोली जायेगी तथा जिन फैक्टरियों की तकनीकी बिड स्वीकृत होगी, उन सभी फैक्टरियों का सर्वे उपरान्त Financial Bid दिनांक 10.08.18 को दोपहर 2.00 बजे उपस्थित निविदाकर्ताओं के समक्ष खोली जायेगी । यदि कोई फैक्टरी तकनीकी आधार पर अयोग्य पाई जाती है तो उसकी बिड निरस्त मानी जायेगी ।

निविदा फार्म के साथ धरोहर राशि रूपये 10000/- (अक्षरी रूपये दस हजार मात्र) (पुरानी जमा धरोहर राशि पर विचार नहीं किया जायेगा) बैंक ड्राफ्ट क रूप में जो किसी भी राष्ट्रीयकृत बैंक/शेड्यूल बैंक पर "दि कॉटन कार्पोरेशन ऑफ इण्डिया लिमिटेड, इंदौर" के पक्ष में देय हो, संलग्न करना अनिवार्य है । धरोहर राशि रहित निविदा स्वीकार नहीं की जायेगी । जो MSEs फैक्टरियॉ MSME अॅथार्टी से रजिस्टर्ड हैं, उनको MSEs रजिस्ट्रेशन सर्टिफिकेट प्रस्तुत करने पर निविदा फार्म फीस एवं धरोहर राशि से छूट प्रदान की जायेगी ।

निगम किसी भी निविदा को स्वीकार करने अथवा अस्वीकार करने का अधिकार सुरक्षित रखता है ।

महा प्रबंधक

भारतीय कपास निगम लिमिटेड

THE COTTON CORPORATION OF INDIA LTD.

(भारत सरकार का उपक्रम/A Government of India Undertaking)

शाखा कार्यालय "कपास भवन" 27-ए, रेसकोर्स रोड, इंदौर – 452003

Branch Office: Kapas Bhavan, 27-A, Race Course Road, Indore - 452003

दूरभाष/Phone : 2434136,2547877 फैक्स/Fax: 0731-2530523 मेल/email: indore@cotcorp.com

वेबसाईट/website: www.cotcorp.org.in Ministry Website : www.ministryoftextiles.gov.in निगमित पहचान संख्या/Corporate Identity No. U51490MH1970GOI014733

Tender form No. _____

Tender form fees : Rs. 112/- (including GST)
(Rupees one hundred twelve only)

Date of Issue : _____
Last date of submission : 01.08.2018 : 1.00 PM
Date of opening of Tender : 01.08.2018 : 1.30 PM

(TECHNICAL BID)
(Annex II)

(TO BE SUBMITTED ON LETTERHEAD OF G&P FACTORY)

Tender for Job Work of Ginning & Pressing for Cotton Season_____

PART-I

1. Name of the centre : _____

2. Full Name of the factory, Address with Pin code, Telephone/Mobile/ Fax Numbers E Mail (If any) _____

3. Whether Factory is MSME or not : (Please tick (✓) whichever is applicable and if Yes, attach valid certificate) Yes No

4. If MSME whether under SC/ ST category:

   (if Yes, Pls. attach concerned valid certificate Yes No

5. Constitution – Company / Partnership / Sole Proprietary _____

6. Name of the Directors/partners and their occupation. 1. _____ 2. _____ 3. _____

7. Name and address of the sister concern, if _____

any. _____

8. Name of Proprietor or Active Partner. _____

9. Name of Factory Manager/Other Responsible person, along with Tel. No. _____

10. P.F. Code No.
(Please attach certificate issued by Regional Provident Fund Commissioner) _____

11. PAN from Income Tax Department (Attach Copy) _____

12. Whether factory has sufficient Managerial, Supervisory & Technical staff Yes No

13. Details of processing of bales during last three years

	2015-16	2016-17	2017-18
i) For CCI	---------	---------	---------
ii) Own	---------	---------	---------
iii) Other parties	---------	---------	---------

14. Details of processing capacity of factory and to be offered to CCI

Type	Machines		Production of bales of allotted capacity		Exclusive/ Turn basis*
	Total	Offered to CCI	Per week	Per month	(Days in a week)
Saws set					
Double Rollers					
Single Rollers					
Pressing					

If Turn basis then number of bales of CCI stock which will be processed per month

15. Details of Fire Accidents in the Factory for the Last three Years :

S. N.	PARTICULARS	YEAR 2015 -16		YEAR 2016-17		YEAR 2017-18	
		NO.	LOSS	NO.	LOSS	NO.	LOSS
(i)	Fire Accidents in Open Compound						
(ii)	Fire Accidents in Gin. House						
(iii)	Fire Accidents in Press House						
(iv)	Fire Accidents in Godown/Baracks						

16. Details of heap platforms/sheds/ barracks/pala house/godowns available in factory and to be offered to CCI free of cost

	Availability		Allotment to CCI	
	No.	Capacity	No.	Capacity
Heap Platforms				
Sheds				
Barracks				
Pallahouse				
Godowns				

17. Classification of the factory as per Insurance tariff rules. _____

_____

18. GST registration Number (Attach GST registration Copy)

Signature

Name of the Authorized Signatory

Address of the factory with seal

Date :

PART-II

MINIMUM STANDARDS REQUIRED FOR ENGAGEMENT OF G & P FACTORY

S.No	Item	Minimum Requirements	Availability in G&P Factory
1	**Ginning Machines**	12 DRs of normal size / 11 extra-long DRs/ 9 Jumbo DRs with Autofeeder/ 1 or 2 saw gins with equivalent processing capacity of 3-4 bales per hour.	
2	**Precleaner**	Cleaner with capacity to suit the processing speed of the ginning machines.	
3	**Lint Cleaner**	Cleaner with capacity to suit the processing speed of ginning machines.	
4	**Kapas Conveyor System**	(i) Pneumatic conveyor with Stone Catcher for the first stage from heaps to Precleaner; (ii) Mechanical/ Pneumatic conveyor from Precleaner to individual gins. Central Platform system not permitted unless it exists already.	
5	**Lint Conveyor System**	Mechanical / Pneumatic Conveyor (i) from Gins to Lint Cleaner; (ii) from Lint Cleaner to each Pala Hall and (iii) from each Pala Hall to a. Bale Press Hall in case of existing Conventional Bale Press b. Bale Press box through Lint slide & Pusher Mechanisms in case of modern Bale Press (direct feeding of cotton from Lint Cleaner to Press box permitted)	
6	**Bale Press**	Single stage oil hydraulic, auto tramping Bale Press with Lint Slide and Pusher mechanism for direct feeding of lint into the press box. Conventional water hydraulic, two-stage presses without auto tramping facility will, however, be permitted if they already exist.	
7	**Conveyor for Seed**	Automatic Conveyor from gins to Seed Platform	

8	**Humidifier/ Moisturiser**	In Gin Hall In case of Central Platform, **2 Benson fans or adequate number of nozzles.** **In Pala Halls** 2 Benson fans in each Hall or adequate number of nozzles.	
9	**Fire Fighting System**	Overhead tank/ sump (capacity 65,000 liters), with a minimum of 6 hydrants strategically located, hose pipes with nozzles and a stand-by diesel pump besides an electric pump.	
10	**Underground Wiring**	All high tension and low tension wires/cables to be under-ground	
11	**Weigh Bridge**	Capacity: 20 tons/ 5 tons depending on local needs (Not required if the facility is available nearby)	
12	**Pucca Platform for Kapas**	Raised platform with a minimum of 5,000 sq. ft. area.	
13	**Covered Storage Space for Lint (Pala Halls)**	Hall(s) with a minimum area of 2000 sq. ft., pucca floor.	
14	**Seed Platform**	Raised, platform of minimum 1000 sq. ft. area.	
15	**Bale Storage Space**	Platform with cemented floor adjoining Press Hall and admeasuring a minimum area of 600 sq. ft.	
16	**Road**	CC Road with at least 10 ft. width.	
17	**Boundary Wall/ Fence**	Wires mesh fence or barbed wire fence with less than 1 ft. gap between wires, or masonry wall, all of a minimum height of 6 ft.	

18	**CCTV cameras in G & P Factory at given locations**	Location of CCTV Camera in G & P Factory:- 1. Factory Weighbridge 2. Path from Weigh bridge to Factory entry gate. 3. Entry Gate. 4. Kapas Platform. 5. Gin Hall. 6. Press Hall 7. Exit gate.	

Signature

Name of the Authorized Signatory

Address of the factory with seal

Date:

PART-III

1. All work commencing from unloading of kapas for processing in the factory to loading of F.P bales for dispatching to CCI hired Godowns including sample cutting i.e. 2 samples to be drawn from each lot of 100 bales. The details of the work to be carried out in the factory is as under:

For Ginning

Providing of required number of labourers for all stages of work beginning from unloading of kapas, its carrying and heaping. Further, grading work is also included i.e., work of picking foreign material, Yellow/Black cowdy, other contaminants and Misc. and also work for Bura/Kapas picking and cleaning of Gin Jump & Misc. work, work for sweeping & picking of kapas in the factory and Supervision of work in the factory. Providing of required number of labourers for further stages of work i.e. kapas heap to gin house, feeding on machines, bura picking from heap to gin house, platform cleaning, rool picking, cowdy and YP pickings on machine, lint picking from front and back side of machines, cotton seed cleaning and all other allied works of bora filling and its carrying/transportation up to pala house/press house in the same factory or another factory at the same centre or another centre.

The engaged ginning & pressing factory will have to give minimum lint of 33% on the kapas supplied to it by the corporation from the beginning of purchases, Trash % should be maximum 2% for central and southern zones and 4% for northern zones. The factory should also ensure that there are no yellow pickings, cut seeds / full seeds etc. in the bales processed by them. In case lint % is less than of 33% and trash % is more than prescribed limits proportionate recovery will be made based on the prevailing market rate of lint, as decided by the corporation, from ginner's bills.

For Pressing

Providing of required number of labourers for mixing as well as cleaning of lint before feeding in the opener and pressing of bales with standard weight of 170 kg net lint with tolerance limit of +/- 5 kgs for all months except during March to June when the tolerance shall be of +/- 7 Kgs. ,fully covered with new iron hoops(18/19 gauge, 1/2" width) / polyester strappings (width 19.05 mm, thickness 1.02 mm , conforming to type II of IS 15559:2004, colour green) to be arranged by the factory and with 100% cotton cloth (20X20 count, 48X40 R&P, 127 cm width, weight 122 gms per Sq.Metres) to be arranged by the corporation/Ginning and Pressing Factory, with stitching and covering of bales from all sides including top and bottom, besides handling of lint stocks beginning from opening of lint boras/boundaries till stacking of bales after marka and weighment and all other allied work during the course of pressing of lint into bales including lint opener. Sample cutting (2 samples to be drawn from each lot of 100 bales) and loading of fully pressed bales for transportation to CCI hired Godowns.

If situation requires on need basis the following works has to be done.

Filling, Stacking, De-stacking, Weighment of Cowdy / Ginjump, Empty lint bora restichting, Re-heaping of kapas heap, Re-heaping of cotton seed heap, Turning over of Cotton bales, coverage of Kapas, seed, bales by tarpaulins.

I/We have gone through the detailed terms and conditions for hiring of G&P factories by the Corporation and agree to carry out the complete processing work as per standards and requirements of the Corporation.

Signature

Name of the Authorized Signatory

Address of the factory with seal

Date:

(FINANCIAL BID)

(Annex III)

(TO BE SUBMITTED ON LETTERHEAD OF G&P FACTORY)

(Financial Bid)

S.No.	Particulars	Processing Type
		Roller
1	Combined ginning & pressing rates per bale with iron hoops including cost of cloth	Rs._____
2	Ginning rate per quintal of lint	Rs._____
3	Pressing rate per bale with iron hoops and with cost of 100% cotton cloth.	Rs._____
4	Combined ginning & pressing rates per bale with Polyester strappings including cost of cloth	Rs._____
5	Pressing rate per bale with polyester strappings and with cost of 100% cotton cloth .	Rs._____
6	Pressing rate per bale without iron hoops /polyester strappings and with cost of 100% cotton cloth.	Rs._____
7	Pressing rate per bale without iron hoops/polyester strappings and without including cost of cloth.	Rs._____

The above quoted rates are inclusive of all work commencing from unloading of kapas for processing in the factory to loading of FP bales for dispatching to CCI hired godowns,including sample cutting (2 samples to be drawn from each lot of 100 bales). Detailed scope of work is as mentioned under point 1 of Part III of technical bid.

Note:

- In case, cloth is supplied by CCI, Rs. ____/- per bale will be deducted from pressing rates.
- Incentive of Rs. 2/- per bale for Modern factories with 4 to 5 Star Rating by Textile Committee
- Incentive of Rs. 1/- per bale for Modern factories with 2 to 3 Star Rating by Textile Committee
- The specifications for iron hoops (18/19 gauge, 1/2" width) , polyester strappings (width 19.05 mm,thickness 1.02 mm , conforming to type II of IS 15559:2004, colour green) and specification of 100% cotton cloth (20X20 count, 48X40 R&P, 127 cm width, weight 122 gms per Sq Metres) should be considered while quoting above rates.
- Please strike out whichever is not applicable.
- The above rates are inclusive of all expenses, taxes and levies if any by Central / State Government and Local Authorities but exclusive of GST.
- TDS and surcharge as per Income Tax Act shall be deducted by the Corporation.

I/We have gone through the detailed terms and conditions for hiring of G&P factories by the Corporation and agree to carry out the complete processing work as per standards and requirements of the Corporation.

Signature

Name of the Authorized Signatory

Address of the factory with seal

Date:

भा.क.नि.
CCI

भारतीय कपास निगम लिमिटेड

THE COTTON CORPORATION OF INDIA LTD.

(भारत सरकार का उपक्रम/A Government of India Undertaking)
शाखा कार्यालय "कपास भवन" 27-ए, रेसकोर्स रोड, इंदौर – 452003
Branch Office: Kapas Bhavan, 27-A, Race Course Road, Indore - 452003
दूरभाष/Phone : 2434136,2547877 फैक्स/Fax: 0731-2530523 मेल/email: indore@cotcorp.com
वेबसाईट/website: www.cotcorp.org.in Ministry Website : www.ministryoftextiles.gov.in निगमित पहचान संख्या/Corporate Identity No. U51490MH1970GOI014733

सूचना का अधिकार

Tender for Job Work of Ginning & Pressing for Cotton Season 2018-19

TERMS AND CONDITIONS

i) The tender form duly filled in, in all respects and signed by the Authorized Signatory, should be submitted in a sealed cover super scribed as "Ginning and Pressing tender for cotton season "2018-19" within the stipulated time and date. Tender forms received after the stipulated time and date will not be considered.

ii) All columns in the tender form should be filled in clearly and legibly. Tender form found as incomplete in any respect, may be rejected at the discretion of the Corporation.

iii) Mere submission of the tender form does not entitle any factory to be engaged by the Corporation.

iv) L1 factory shall be considered for hiring provided it meets the minimum standards required as per the tender terms. When more processing facility is required at the centre then on need basis the L2/L3/L4 & so on factory could be engaged provided they agree at the rates of L1.
G & P Rates being the same, the Corporation will consider hiring of ginning and pressing factories in the following order of preference:

(a) Modernized composite ginning & pressing factory through TMC assistance and certified by Textile Committee.
(b) Modernized composite ginning & pressing factory other than TMC assistance and certified by Textile Committee.
(c) Modernized composite ginning & pressing factory through TMC assistance.
(d) Modernized composite ginning & pressing factory other than TMC assistance.
(e) Composite G&P factories in MSEs / Co-operative sector / other institutions.
(f) Composite G&P factories with track record of good performance.
(g) G&P factories willing to give their full capacity on exclusive basis to CCI.

Note: Online Modern Factories, Factories having power supply through express feeder and the Factories having diesel generator sets shall have added advantage.

v) In the event of Corporation finalizing to hire the ginning and pressing factory, the concerned factory will have to enter into an agreement with the Corporation in the prescribed form with acceptance of all its terms and conditions. The factory will also submit a copy of partnership deed/ memorandum of article/ memorandum of association as the case may be.

vi) The engaged ginning & pressing factory will have to give minimum lint of 33% on the kapas supplied to it by the corporation from the beginning of purchases, Trash % should be maximum 2% for central and southern zones and 4% for northern zones. The factory should also ensure that there are no yellow pickings, cut seeds / full seeds etc. in the bales processed by them. In case lint % is less than of 33% and trash % is more than prescribed limits proportionate recovery will be made based on the prevailing market rate of lint, as decided by the corporation, from ginner's bills.

vii) In case the L1 tenderer refuse to work at the rates quoted by him, such factories shall not be awarded any work for at least one year i.e. next cotton season.

viii) All the pages of the Tender Form as well the Terms & Conditions should be signed by the factory owner.

ix) In case, Bidder has any query about the bidding conditions and/or bidding process - may seek comments from the Branch Office. Further in case, if any bid is rejected or a tender document is not issued to prospective Bidder - may seek the reasons for rejection from Branch Office.

DECLARATION

I/We hereby confirm that the above clauses have been read and noted and we agree to abide by all the above Terms and Conditions.

Signature

Name of the Authorized Signatory

Address of the factory with seal

Date:

DEDUCTIONS FOR NON -AVAILABILITY OF FOLLOWING INFRASTRUCTURE

ANNEXURE-"A"

SL. NO.	PARTICULARS	DEDUCTIONS PER BALE (IN RS.)
01	BOUNDARY WALL/ WIRE FENCING	**20-00**
02	PAKKA CEMENTED 1 Ft. RAISED HEAP PLAT FORM FOR MINIMUM 1(GINNING CAPACITY(up to 12 GINGS MIN 400 BLS CAPACITY FROM 13 TO 500 BLS CAPACITY FROM 18 & ABOVE 800 BLS CAPACITY)	**30-00**
03	COTTON SEED STORAGE 1 Ft. RAISED CEMENTED PAKKA PLAT FORM	**20-00**
04	PAKKA PLAT FORM FOR BOUNDARY /FP. BALES 100 EACH	**20-00**
05	TROLLYS TO CARRY LINT BORAS	**10-00**
06	COTTON SEED CONVEYOR WITH ELIVATOR SYSTEM	**30-00**
07	KAPAS CLEANER	**30-00**
08	LINT OPENER	**50-00**
09	BALE TOP & BOTTOM TO BE INSERTED IN PATTIES/IMPROPER PACKING (BALES	**50-00**
10	WATER HYDRANTS SYSTEM FOR FIRE FIGHTING	**50-00**

WE AGREE WITH THE G&P RATES DECIDED ON _____ SUBJECT TO ABOVE DEDUCTIONS.

SIGNATURE OF THE AUTHORISED SIGNATORY
(WITH SEAL)